


**EYE HOIST HOOK**


Material: carbon or alloy steel  
 Technology: drop forged  
 Finish: painted or yellow chromated  
 Design factor: 5:1  
 Marking: size, WLL, trace code



WLL (tons)		Approx. Weight (lbs)	Dimensions (Inches)							
carbon	alloy		B	C	E	F	G	H	I	J
1/2T	3/4T	0.35	0.63	0.33	0.50	0.79	2.42	0.70	3.82	2.75
3/4T	1T	0.61	0.75	0.36	0.63	0.90	2.83	0.73	4.43	3.34
1T	1-1/2T	0.89	0.91	0.42	0.71	0.93	3.11	0.84	5.07	3.81
1-1/2T	2T	1.44	1.13	0.55	0.88	1.00	3.53	1.00	5.69	4.14
2T	3T	2.07	1.25	0.58	0.94	1.13	3.97	1.13	6.40	4.69
3T	4-1/2T	4.30	1.56	0.72	1.31	1.47	4.81	1.44	7.93	5.77
5T	7T	8.30	2.00	0.90	1.66	1.75	6.27	1.81	10.08	7.37
7-1/2T	11T	15.00	2.44	1.11	1.88	2.29	7.45	2.25	12.43	9.07
10T	15T	20.77	2.84	1.27	2.19	2.50	8.30	2.59	13.94	10.08
15T	22T	39.50	3.50	1.56	2.69	3.30	10.30	3.00	17.09	12.53

**SWIVEL EYE HOIST HOOK**


Material: carbon or alloy steel  
 Technology: drop forged  
 Finish: painted or yellow chromated  
 Design factor: 5:1  
 Marking: size, WLL, trace code



WLL (tons)		Approx. Weight (lbs)	Dimensions (Inches)				
carbon	alloy		B	C	E	R	S
3/4T	1T	0.75	0.82	1.25	0.93	4.55	0.38
1T	1-1/2T	1.25	1.31	1.50	0.97	5.37	0.50
1-1/2T	2T	2.25	1.50	1.75	1.06	6.12	0.63
2T	3T	2.30	1.50	1.75	1.19	6.50	0.63
3T	4-1/2T	4.96	1.64	2.00	1.50	7.50	0.75
5T	7T	10.29	2.29	2.50	1.78	9.63	1.00
7-1/2T	11T	19.40	2.53	2.75	2.41	11.37	1.13
10T	15T	23.25	2.48	3.12	2.62	12.25	1.25
15T	22T	47.00	3.76	4.10	3.41	16.71	1.50

### CLEVIS GRAB HOOKS


Material: carbon or alloy steel  
 Technology: drop forged  
 Finish: self colored, electro galvanized (C)  
 or yellow chromated (A)  
 Design factor: 5:1  
 Marking: size, WLL, trace code



Size (inches)	Approx. Weight (lbs)	Dimensions (Inches)								WLL (lbs)	
		A	B	C	D	E	L	N	P	Carbon	Alloy
1/4"	0.36	1.00	0.32	0.31	1.81	0.34	3.05	1.75	0.31	2600	3500
5/16"	0.62	1.22	0.43	0.36	2.12	0.44	3.66	2.06	0.38	3900	4700
3/8"	1.00	1.42	0.48	0.49	2.53	0.50	4.42	2.34	0.44	5400	7100
7/16"	1.31	1.66	0.66	0.62	3.09	0.56	4.94	2.66	0.56	7200	8750
1/2"	2.22	1.88	0.57	0.51	3.56	0.66	5.72	2.97	0.63	9200	12000
5/8"	4.41	2.31	0.71	0.67	4.39	0.78	6.83	4.31	0.75	13000	18100
3/4"	6.50	2.62	0.94	0.94	5.22	0.94	8.13	5.09	0.88	20200	24700

### EYE GRAB HOOK


Material: carbon or alloy steel  
 Technology: drop forged  
 Finish: self colored, electro galvanized (C)  
 or yellow chromated (A)  
 Design factor: 5:1  
 Marking: size, WLL, trace code



Size (inches)	Approx. Weight (lbs)	Dimensions (Inches)						WLL (lbs)	
		AA	BB	D	E	L	N	Carbon	Alloy
1/4"	0.28	1.09	0.53	1.81	0.34	3.05	1.75	2600	3500
5/16"	0.45	1.31	0.62	2.12	0.44	3.59	2.06	3900	4700
3/8"	0.79	1.56	0.75	2.53	0.50	4.28	2.34	5400	7100
1/2"	1.75	1.94	0.88	3.56	0.66	5.44	2.97	9200	12000
5/8"	3.25	2.38	1.06	4.41	0.78	6.66	3.78	13000	18100
3/4"	5.94	2.88	1.38	5.22	0.94	8.06	5.09	20200	24700

**CLEVIS GRAB HOOK WITH LATCH**


Material: carbon or alloy steel  
 Technology: drop forged  
 Finish: yellow chromated  
 Design factor: 5:1  
 Marking: size, WLL, trace code



Size (inches)	Approx. Weight (lbs)	Dimensions (Inches)					WLL (lbs)
		B	E	P	R	T	
1/4"	0.62	0.35	0.39	0.38	1.97	0.39	3500
5/16"	0.95	0.39	0.43	0.43	2.26	0.49	4700
3/8"	1.28	0.47	0.50	0.47	2.63	0.41	7100
1/2"	2.60	0.75	0.66	0.63	3.19	0.70	12000
5/8"	4.67	0.91	0.78	0.75	4.09	0.80	15800

**CLEVIS SLIP HOOK**

Material: carbon or alloy steel  
 Technology: drop forged  
 Finish: self colored, electro galvanized (C)  
 or yellow chromated (A)  
 Design factor: 5:1  
 Marking: size, WLL, trace code  
 with or without latch



Size (inches)	Approx. Weight (lbs)	Dimensions (Inches)										WLL (lbs)	
		A	B	C	D	E	F	G	I	P	R	Carbon	Alloy
1/4"	0.55	1.06	0.32	0.29	2.75	0.94	1.19	0.81	3.95	0.31	2.58	1950	2750
5/16"	0.79	1.22	0.43	0.34	3.06	1.06	1.25	0.94	4.52	0.38	2.87	2875	4300
3/8"	1.21	1.38	0.45	0.44	3.63	1.31	1.50	1.13	5.15	0.44	3.25	4000	5250
7/16"	2.06	1.73	0.59	0.60	4.34	1.56	1.81	1.38	5.97	0.56	3.70	5000	7000
1/2"	2.75	1.88	0.57	0.53	4.81	1.69	1.94	1.56	6.53	0.63	4.00	6500	9000
5/8"	4.75	2.31	0.71	0.71	5.63	2.00	2.38	1.81	7.89	0.75	4.94	9250	13500
3/4"	11.28	3.19	1.18	1.29	7.38	2.50	3.00	2.38	10.02	1.00	6.09	12500	19250

### EYE SLIP HOOK


Material: carbon or alloy steel

Technology: drop forged

Finish: self colored, electro galvanized (C)  
or yellow chromated (A)

Design factor: 5:1

Marking: size, WLL, trace code  
with or without latch



Size (inches)	Approx. Weight (lbs)	Dimensions (Inches)								WLL (lbs)	
		BB	D	E	F	G	M	N	R	Carbon	Alloy
1/4"	0.40	0.50	2.75	0.94	1.19	0.81	1.06	2.13	3.37	1950	2750
5/16"	0.64	0.63	3.06	1.06	1.25	0.94	1.25	2.25	3.89	2875	4300
3/8"	1.10	0.72	3.63	1.31	1.50	1.13	1.53	2.56	4.49	4000	5250
7/16"	1.56	0.81	4.34	1.56	1.81	1.38	1.69	3.06	5.26	5000	7000
1/2"	2.09	0.94	4.81	1.69	1.94	1.56	1.94	3.44	5.84	6500	9000
5/8"	3.90	1.13	5.63	2.00	2.38	1.81	2.38	4.00	7.03	9250	13500
3/4"	6.93	1.38	6.75	2.13	2.75	2.19	2.88	4.75	7.99	12500	19250


### SHANK HOOK

Material: Carbon/ alloy steel

Technology: drop forged

Finish: painted


Design factor: 5:1



WLL (tons)		Approx. Weight (lbs)	Dimensions (Inches)			
carbon	alloy		A	B	E	R
3/4T	1T	0.50	0.59	2.06	0.93	2.35
1T	1-1/2T	0.75	0.66	2.25	0.97	2.59
1-1/2T	2T	1.00	0.72	2.59	1.06	2.76
2T	3T	1.82	0.88	2.84	1.19	3.16
3T	4-1/2T	3.69	1.16	3.44	1.50	3.85
5T	7T	7.25	1.41	3.84	1.78	4.77
7-1/2T	11T	13.49	1.81	4.38	2.41	5.88
10T	15T	21.90	2.00	7.00	2.62	6.37

### SORTING HOOK


Material: alloy steel  
 Technology: drop forged  
 Finish: painted  
 Design factor: 4:1



WLL (tons)	Approx. Weight (lbs)	Dimensions (Inches)			
		A	L	O	R
2	6.42	1.38	9.69	2.81	0.625

### TWIN CLEVIS LINKS


Material: carbon steel or alloy steel  
 Technology: drop forged  
 Quenched & tempered  
 Finish: yellow chromated  
 Marking: size  
 Safety factor: 4:1



SIZE (Inches)	Approx. Weight (lbs)	Dimensions (Inches)				WLL (lbs)
		A	R	D	G	
1/4-5/16	0.31	0.47	1.18	0.38	0.43	4700
3/8	0.44	0.53	1.34	0.47	0.50	6600
7/16-1/2	0.98	0.65	1.75	0.56	0.63	11250
5/8	1.32	0.78	2.12	0.69	0.75	16500

### DOUBLE CLEVIS LINKS

Material: carbon steel or alloy steel  
 Technology: drop forged  
 Quenched & tempered  
 Finish: yellow chromated  
 Marking: size  
 Safety factor: 4:1



SIZE (Inches)	Approx. Weight (lbs)	Dimensions (Inches)					WLL (lbs)
		A	B	C	D	R	
1/4	0.38	0.50	0.75	0.50	0.31	1.66	2600
5/16-3/8	0.81	0.56	1.00	0.63	0.44	2.25	5400
7/16	1.25	0.69	1.13	0.69	0.56	2.50	7000
1/2	1.56	0.81	1.25	0.75	0.63	2.75	9200
5/8	2.91	0.78	1.63	1.00	0.75	3.03	17500

---

**D RING WITH HINGE**

Material: carbon steel  
Technology: drop forged  
Finish: self colored  
Safety factor: 3:1



---

**EYE GRAB BEND HOOK**

Material: alloy steel  
Technology: drop forged  
Finish: zinc plated yellow  
Size: 5/16"



---

**EYE GRAB BEND HOOK**

Material: alloy steel  
Technology: drop forged  
Finish: zinc plated yellow  
Size: 5/16"



---

**WELD-ON HOOK**

Material: carbon steel  
Technology: drop forged  
Finish: self color  
Size: 5/16"-5/8"



---

**CLUSTER HOOK RTJ**

Material: alloy steel  
Technology: drop forged  
Finish: zinc plated yellow



---

**R TYPE HOOK**

Material: alloy steel

Technology: drop forged

Finish: zinc plated yellow

Size: 5/16"



---

**T TYPE HOOK**

Material: alloy steel

Technology: drop forged

Finish: zinc plated yellow

Size: 5/16"



---

**SMALL J HOOK**

Material: alloy steel

Technology: drop forged

Finish: zinc plated yellow

Size: 5/16"-3/8"



---

**TOW-TRUCK J HOOK**

Material: alloy steel

Technology: drop forged

Finish: zinc plated yellow

Size: 5/16"



---

**CLEVIS REEVING RING**

Material: alloy steel

Technology: drop forged

Finish: self colored, painted or zinc plated yellow

Size: 1/4"-3/4"



---

**WELDLESS PEAR LINK**

Material: carbon/ alloy steel

Technology: drop forged

Finish: painted

Size: 3/8"-1.3/8"



---

**WELDLESS ALLOY MASTER LINK**

Material: carbon/ alloy steel

Technology: drop forged

Finish: painted

Size: 3/8"-1.3/4"



---

**WELDLESS FORGED RING**

Material: carbon/ alloy steel

Technology: drop forged

Finish: painted

Size: 3/8"-1.1/2"

