

DROP FORGED US TYPE WIRE ROPE CLIP

Material: saddle carbon steel

U-bolt and nuts mild steel


Technology: drop forged

Finish: hot dip galvanized

Test: torque tested

Marking: size

Size: 1/8"-2"



SIZE (Inches)	Approx. Weight (lbs)	Dimensions (Inches)							Torque (ft lbs)
		A	B	C	D	E	F	G	
1/8"	0.06	0.22	0.72	0.44	0.47	0.37	0.81	0.99	4.5
3/16"	0.10	0.25	0.97	0.56	0.59	0.50	0.94	1.18	7.5
1/4"	0.19	0.31	1.03	0.50	0.75	0.66	1.19	1.43	15
5/16"	0.28	0.38	1.38	0.75	0.88	0.73	1.31	1.66	30
3/8"	0.48	0.44	1.50	0.75	1.00	0.91	1.63	1.94	45
7/16"	0.78	0.50	1.88	1.00	1.19	1.13	1.91	2.28	65
1/2"	0.80	0.50	1.88	1.00	1.19	1.13	1.91	2.28	65
9/16"	1.09	0.56	2.25	1.25	1.31	1.34	2.06	2.50	95
5/8"	1.10	0.56	2.25	1.25	1.31	1.34	2.06	2.50	95
3/4"	1.42	0.62	2.75	1.44	1.50	1.39	2.25	2.84	130
7/8"	2.12	0.75	3.12	1.62	1.75	1.58	2.44	3.16	225
1"	2.52	0.75	3.50	1.81	1.88	1.77	2.63	3.47	225
1-1/8"	2.83	0.75	3.88	2.00	2.00	1.91	2.81	3.59	225
1-1/4"	4.38	0.88	4.44	2.22	2.34	2.17	3.13	4.13	360
1-13/8"	4.42	0.88	4.44	2.22	2.34	2.31	3.13	4.19	360
1-1/2"	5.44	0.88	4.94	2.38	2.59	2.44	3.41	4.44	360
1-5/8"	7.04	1.00	5.31	2.62	2.75	2.66	3.63	4.75	430
1-3/4"	9.34	1.13	5.75	2.75	3.06	2.92	3.81	5.24	590
2"	13.00	1.25	6.44	3.00	3.38	3.03	4.44	5.88	750

MALLEABLE WIRE ROPE CLIP

Material: saddle malleable steel

U-bolt and nuts mild steel


Technology: casting

Finish: electro galvanized

Marking: size

Size: 1/16"- 1 1/8"

To be used for light duty applications only



SIZE (Inches)	Approx. Weight (lbs)	Dimensions (Inches)							Nut Torque (ft lbs)
		A	B	C	D	E	F	G	
1/16"	0.043	0.331	0.636	0.669	0.147	0.5	0.364	0.431	2
1/8"	0.043	0.441	0.742	0.862	0.182	0.544	0.415	0.518	3
3/16"	0.068	0.572	0.918	1.06	0.236	0.624	0.515	0.602	4.5
1/4"	0.145	0.68	1.146	1.291	0.297	0.825	0.593	0.726	15
5/16"	0.15	0.736	1.218	1.356	0.297	0.908	0.644	0.795	15
3/8"	0.215	0.876	1.468	1.588	0.362	1.018	0.881	0.866	30
7/16"	0.24	0.952	1.615	1.696	0.362	1.009	0.884	0.885	40
1/2"	0.37	1.092	1.985	1.903	0.428	1.402	0.925	1.023	45
5/8"	0.59	1.309	2.176	2.246	0.48	1.408	1.112	1.121	75
3/4"	0.84	1.375	2.533	2.378	0.542	1.495	1.302	1.265	75
7/8"	1.28	0.75	2.922	2.768	0.611	1.825	1.523	1.463	130
1"	1.5	1.837	3.265	3.094	0.588	2.198	1.76	1.666	130
1-1/8"	2.43	2.065	4.355	3.465	0.725	2.458	1.898	1.854	200

DROP FORGED "L" CLIP (FIST GRIP)

Material: saddle carbon steel

nuts mild steel


Technology: drop forged

Finish: hot dip galvanized

Test: torque tested

Marking: size

Size: 5/16"



SIZE (Inches)	Approx. Weight (lbs)	Dimensions (Inches)									Torque (ft lbs)
		A	B	C	D	E	F	G	H	I	
5/16"	0.28	0.47	2.32	0.69	1.06	1.5	0.34	0.37	1.46	1.54	30

MALLEABLE WIRE ROPE CLIP, TYPE A

Material: saddle malleable steel
U-bolt and nuts mild steel
Technology: casting
Finish: zinc plated yellow
Size: 6mm-32mm



MALLEABLE WIRE ROPE CLIP, TYPE B

Material: saddle malleable steel
U-bolt and nuts mild steel
Technology: casting
Finish: zinc plated
Size: 1/8"-1"



DIN741 MALLEABLE WIRE ROPE CLIP

Material: saddle malleable steel
U-bolt and nuts mild steel
Technology: casting
Finish: zinc plated
Size: 3mm-40mm



DIN1142 MALLEABLE WIRE ROPE CLIP

Material: saddle malleable steel
U-bolt and nuts mild steel
Technology: casting
Finish: zinc plated yellow
Size: 5mm-40mm

