


QUICK LINK

Material: mild steel

Finish: electro galvanized

Marking: size, WLL

Breaking strength is two times of WLL



SIZE (mm)	Approx. Weight (kgs)	Dimensions (mm)					WLL (lbs)
		A	B	C	D	E	
3.5	0.009	5	36.5	10	29.5	3.5	175
4	0.015	5.5	40	11.5	32	4	500
5	0.021	6.5	49	13	39	5	650
6	0.037	7.5	58	14.5	46	6	875
7	0.052	8.5	65	16.5	51	7	1200
8	0.077	10.5	75	17.5	59	8	1525
9	0.103	11.5	82	17	64	9	1975
10	0.140	12.5	90	20.5	70	10	2300
12	0.230	14.5	107	23.5	83	12	2500
14	0.360	17	125	26.5	97	14	2800


SNAP HOOK

Material: mild steel

Finish: electro galvanized

Marking: size, WLL

Breaking strength is two times of WLL




SIZE (mm)	Approx. Weight (kgs)	Dimensions (mm)					WLL (lbs)
		A	B	C	D	E	
4X40	0.008	4	12	7	40	7	80
5X50	0.016	5	15	8	50	7	100
6X60	0.025	6	18	9	60	8	140
7X70	0.044	7	21	10	70	8	200
8X80	0.065	8	24	12	80	9	250
9X90	0.095	9	27	12	90	10	280
10X100	0.125	10	30	15	100	11	400
11X120	0.195	11	35	18	120	16	500
12X140	0.260	12	43	20	140	19	600
13X160	0.350	13	48	22	160	25	700
14X180	0.500	14	58	22	180	35	900

SNAP HOOK WITH EYELET

Material: mild steel

Finish: electro galvanized

Marking: size, WLL




SIZE (mm)	Dimensions (mm)					WLL (lbs)
	A	B	C	D	F	
4X40	4	20	40	5	7	80
5X50	5	25	50	5	7	100
6X60	6	30	60	5	8	140
7X70	7	35	70	7	8	200
8X80	8	40	80	10	9	250
9X90	9	45	90	10	10	280
10X100	10	50	100	13	11	400
11X120	11	57	120	13	16	500
12X140	12	67	140	15	19	600
13X160	13	74	160	17	25	700
14X180	14	86	180	17	35	900

SNAP HOOK WITH SCREW

Material: mild steel

Finish: electro galvanized

Marking: size, WLL




SIZE (mm)	Dimensions (mm)					WLL (lbs)
	A	B	C	D	F	
4X40	4	20	40	7	7	80
5X50	5	25	50	8	7	100
6X60	6	30	60	9	8	140
7X70	7	35	70	10	8	200
8X80	8	40	80	12	9	250
9X90	9	45	90	12	10	280
10X100	10	50	100	15	11	400
11X120	11	57	120	18	16	500
12X140	12	67	140	20	19	600
13X160	13	74	160	22	25	700
14X180	14	86	180	22	35	900

SNAP HOOK WITH EYELET AND SCREW

Material: mild steel

Finish: electro galvanized

Marking: size, WLL



SIZE (mm)	Dimensions (mm)					WLL (lbs)
	A	B	C	D	F	
4X40	4	20	40	7	7	80
5X50	5	25	50	8	7	100
6X60	6	30	60	9	8	140
7X70	7	35	70	10	8	200
8X80	8	40	80	12	9	250
9X90	9	45	90	12	10	280
10X100	10	50	100	15	11	400
11X120	11	57	120	18	16	500
12X140	12	67	140	20	19	600
13X160	13	74	160	22	25	700
14X180	14	86	180	22	35	900

STRAIGHT SNAP HOOK

Material: mild steel

Finish: Electro galvanized

Size: 5X50mm-11X120mm


EGG TYPE SNAP HOOK

Material: mild steel

Finish: Electro galvanized

Size: 5X50mm-12X140mm



ALUMINUM SNAP HOOK

Material: aluminum
Finish: different colors



ROUND RING

Material: mild steel
Finish: electro galvanized
Size: 1/8"-5/8"



S HOOK

Material: mild steel
Finish: electro galvanized
Size: 3mm-10mm

